

Printing to PowerRIP 2000 using InDesign

Using Server/Standalone Macintosh, OS 8.6 or later

Note: - InDesign requires AdobePS which can be found on the InDesign CD. AdobePS should be installed before following the directions below.

- Desktop Print Monitor and Desktop Print Spooler must be active in the Extension Manager.

This document assumes that PowerRIP 2000 has been launched and Open Printer has occurred. It also assumes that an InDesign file is on the Macintosh screen and is ready to be processed and printed.

AdobePS 8.7

Step 1:

Chooser

In the Chooser highlight **AdobePS 8.7**.
Highlight your printer. Click **Create**.

Note: The first time you select the PPD it will say *Create*. All future selections in the Chooser will say *Setup*.

Click **Select PPD**. Highlight the appropriate PPD for your printer and click **Select**.
Close the Chooser.
A Desktop Printer will be created.


Step 2:

Go to **File>Print**

The AdobePS Print dialog will display.

Advanced Page Control


Select the appropriate range of pages.



Step 3:

Color

Select **Composite**.




Step 4:

PostScript Settings

Select **Binary** in Data Format.

Select **All** in Font Inclusion.




Printing to PowerRIP 2000 using InDesign

Using Server/Standalone Macintosh, OS 8.6 or later (Cont)

Step 5: Printer Specific Options

For an in-depth discussion of the Printer Specific Options for your printer see Appendix 4 of the PowerRIP 2000 manual.



Note: This is a scrollable window.

Click **Save Settings**.

Click **Print**.

The file will process and print.